

DIGITALISERINGSSTYRELSEN

 NemLog-in

Integration with NemLog-in – Local IdP

Contents

Changelog	4
1 Introduction	5
1.1 Prerequisites	5
1.2 Intended audience	5
1.2.1 Terminology	5
2 Identity Provider software	7
3 Architectural overview	8
4 Interaction scenarios	10
4.1 Simple scenario	10
5 Data model	12
6 Testing integration of a local IdP	13
6.1 Environments	13
6.2 Beta test environment	13
6.3 Creating a test organisation	15
6.4 Test certificates	17
7 Connecting a Local IdP	18
7.1 Technical connection	18
7.2 Connecting as tenant	21
8 End user authentication	23
8.1 Dynamically assigned group memberships	24
9 Authentication with test-IdP	26
9.1 Location of test-IdPs	26
9.2 Connecting test-IdP to test-organisation	26
9.3 Authentication with the test-IdP	26
10 Signing	30
10.1 Immediately active users	30
10.2 Signing with local means of identification	31
10.3 Emulating signature approval	31
11 Technical requirements	37
11.1 Metadata	37
11.1.1 EntityID	37
11.1.2 Subject NameID formats	37
11.1.3 SAML Single Sign on support	37
11.1.4 SAML Single Logout support	37
11.2 Authentication requests	37

11.2.1	AD FS profile specifics	38
12	References	39
13	Appendix A: Creating a test-organisation with Swagger UI	41
14	Appendix B. Metadata	42
14.1	Local IdP sample metadata	42
14.2	Test-IdP metadata.....	42
15	Appendix C. Assertion	45

Changelog

Date	Version	Change description	Initials
08-11-2022	0.1	First draft	Nets (TMNYM)

1 Introduction

This document gives a technical description on how user organisations should integrate their Local IdP with NemLog-in3.

By using a Local IdP the user organisation allows its users to apply the same means of identification to log in to service providers connected to NemLog-in as they use for authentication in their own organisation. This will allow such user organisations to provide simpler and more user-friendly access.

In addition, such organisations may also benefit from a simpler administration of employee identities by automating the registration process using the MitID Erhverv IdM API.

However, to connect a Local IdP to NemLog-in the user organisation must implement the NSIS-standard for the relevant assurance level (Substantial or High) and must be approved by the NSIS Supervisory Board at the Danish Agency for Digital Government. The elaborate process of establishing this and other prerequisites for integrating a Local IdP to NemLog-in is described in detail in [LIG].

1.1 Prerequisites

The reader is expected to be familiar with the most recent version of the OIOSAML 3 profile [OIOSAML3] and the related Local IdP profile [OIOSAMLIdP].

The reader should be familiar with the prerequisites for integration, described in [LIG].

1.2 Intended audience

This document is a technical implementation guide aimed at architects and developers.

1.2.1 Terminology

Term	Description
Identity Provider (IdP)	An Identity Provider (IdP) is a trusted entity that authenticates users and generates authentication assertions or other assertions that vouch for a user's (subject's) identity.
Service Provider	A Service Provider (SP) is an entity that relies on assertions from an Identity Provider (IdP) to authenticate or authorize subjects' actions on its resources.
Broker	A Broker serves as an intermediary between the SP and the IdP, see section Error! Reference source not found. below.
Local Identity Provider (IdP)	In NemLog-in3 user organisations are allowed to use their own SAML Identity Provider – a <i>Local IdP</i> – when their users authenticate in NemLog-in. Local IdP can only be used with employee identities and requires NSIS compliance by the user organisation. The present document is an integration guide for Local IdPs.
Assertion	Data structure produced by an Identity Provider (SAML authority) or similar regarding an act of authentication. The assertion provides information on the authentication performed by a User,

Term	Description
	attribute information about the User, and/or authorization permissions applying to the User with respect to a specified resource.
Metadata	<p>Service providers and Identity Providers gather the information needed to execute the SAML protocol in so-called metadata XML files. NemLog-in metadata contains:</p> <ul style="list-style-type: none">• Entity ID – a unique identifier for the party (SP/IdP) in the federation• Cryptographic keys in the form of X.509 certificates - used for signing and encryption• Protocol endpoints• Attribute profile

2 Identity Provider software

Correct implementation of SAML from scratch is a difficult task that require expertise and a substantial development and testing effort.

We strongly recommend that your integration with NemLog-in makes use of available SAML software, see [LIG] for a list of software.

As described in [OIOSAMLIdP] two different integration profiles (or “Product” types as denoted in MitID Erhverv) are available:

1. An OIOSAML3 model
2. A model adapted for Microsoft AD FS integration

The OIOSAML3 model employs the AuthnRequest structure for passing relevant information to the Local IdP. Microsoft AD FS has more strict requirements and less flexibility, so a specific integration profile has been devised that, for example, makes use of Relay State to convey specific information.

If you are integrating a Microsoft AD FS IdP to NemLog-in, you should use the AD FS integration model, otherwise we recommend that you use the OIOSAML3 model.

3 Architectural overview

Local IdPs supplement the MitID and NemID means of identification available for accessing services connected to the NemLog-in IdP:




Figure 1: Users in an organisation with a Local IdP may use the same means of identification for accessing both local and public services.

The Local IdP is connected to NemLog-in through a SAML interface, when NemLog-in takes the role of a Service Provider (or Relying Party).

Although NemLog-in supports authentication Brokers to provide access to Service Providers through different integration models,¹ the integration to Local IdPs is always facilitated by the OIOSAML interface to NemLog-in³. The connected Local IdPs therefore only need to support a single Service Provider (NemLog-in) to provide access to all connected services providers connected to NemLog-in to the local IdP users.

An end user may log-in to a Service Provider using local means of identification if two technical conditions are met:

1. The Local IdP must be connected to NemLog-in, i.e. the Local IdP metadata must be registered in MitID Erhverv.
2. The local means of identification must be connected to the MitID Erhverv identity.

The Organisation Administrator is responsible for 1. whereas the Identity Administrator is responsible for 2. If the organisation uses the IdM API for synchronizing the user catalogue with MitID Erhverv, 2. can be performed automatically.

An overview of the features available to NSIS-notified user organisations is given in the table below.

¹ We refer to [NLIB] for details wrt. Broker integration to NemLog-in.

Feature	Availability	Description
MitID Erhverv IdM API	Available for all user organisations, but NSIS-notified organisations have advantages. For example, they may create users which need no further activation steps in MitID Erhverv.	API that allows administration of employee identities. NSIS-notified organisations may create identities and connect local means of identification automatically. Identities are ready to be used immediately. We refer to [NLIDM] for details.
Local IdP connectivity	Only available to NSIS-notified user organisations.	This document.

4 Interaction scenarios

4.1 Simple scenario

The scenario depicted below shows a user logging into a Service Provider with local means of identification.




Figure 2: Users logs in using local IdP


The process is as follows:

1. User accesses a protected resource at Service Provider (SP).
2. Service Provider detects that the user is not logged in, and redirects user to NemLog-in, passing an <AuthnRequest>.
3. User interacts with the NL UI and selects the local IdP of his organisation.
4. NemLog-in redirects the user to the local IdP, passing a second <AuthnRequest> to the local IdP.
5. The local IdP validates the AuthnRequest and determines that the user does not have a session with the local IdP. The local IdP therefore requests the user to perform an authentication using his/her local means of identification.

-
6. The local IdP validates the resulting authentication response and issues an <AuthnResponse> with an <Assertion>, identifying the local identity and the resulting NSIS level of assurance (LoA) to NemLog-in and redirects the user to NemLog-in.
 7. NemLog-in validates the response and the assertion and looks up the associated employee identity in MitID Erhverv by CVR and the local username. NemLog-in retrieves the attributes for that identity requested by the Service Provider (including privileges if SP is public) and builds and signs a new <Assertion>.
 8. NemLog-in redirects the user's browser to the Service Provider, passing along an <AuthnResponse> containing the <Assertion> issued in step 7.
 9. The Service Provider validates the response and assertion, creates a user-session and grants the user access to the application resource.

5 Data model

The diagram below shows a partial, conceptual data model for MitID Erhverv.



An Organisation may use any number of local IdPs. An Employeeidentity (‘user’) has one or more means of identification. In an organisation with at least one local IdP a given user may be authenticated local means of identification (identified by a username). A consequence is that a given user could use a local IdP for authentication when at work (or on corporate network with VPN) and use his/her private MitID/dedicated MitID in other situations.

A given physical person may possess any number of MitID Erhverv users.

6 Testing integration of a local IdP

6.1 Environments

The following external NemLog-in environments are available:

Environment	Domain name suffix	IdP host name	Test Service Providers
Production	nemlog-in.dk	nemlog-in.mitid.dk	N/A
Integrationtest	test-nemlog-in.dk	test-nemlog-in.pp.mitid.dk	spN.test-nemlog-in.dk
Beta test, prod-leg	devtest4-nemlog-in.dk	devtest4-nemlog-in.pp.mitid.dk	spN.sp-devtest4-nemlog-in.dk
Beta test, inttest-leg	test-devtest4-nemlog-in.dk	test-devtest4-nemlog-in.pp.mitid.dk	spN-int.sp-devtest4-nemlog-in.dk

The Integrationtest environment is reserved for the mandatory integration tests that must be performed by service providers and sub-brokers prior to connecting these to Production.

The beta test environment is a separate environment that provides access to the upcoming release of NemLog-in. The environment is preferred for performing tests as a user organisation. The beta test environment does not share any data (including test identities) with the Integrationtest environment.

When you create a test-organisation in the beta test-environment you will have access to MitID Erhverv in both prod-leg (erhvervsadministration.devtest4-nemlog-in.dk) and inttest (erhvervsadministration.test-devtest4-nemlog-in.dk).

If you only wish to perform tests in MitID Erhverv as a user organisation, you may perform the tests in any beta test leg (prod or inttest) but it is recommended to use the inttest leg. If you also wish to act as a service provider and connect it-systems (SAML Service Provider) to the beta test environment, you **must** use the inttest-leg for testing since it is not possible to connect it-systems to the beta test prod-leg.

If in doubt, **use the beta test, inttest-leg** (highlighted in the table above) for testing local IdP integration. Here you will also have access to the logviewer to inspect NemLog-in error log. [Betatest]

6.2 Beta test environment

As described above, the beta test environment consists of two logical part (prod- and inttest legs).

The figure below shows a simplistic diagram of the environment. Arrows denote data-flow during registration of services, local IdPs, and identity data.




Figure 3: Beta test environment with **registration** data flows. Blue shapes belong to prod-leg, green shapes to int-test, and orange shape belongs to CA Customer Test Integration (test-CA) environment.

The following data flows are depicted:

- Test-portal to MitID Erhverv (both legs) and MitID Simulator: Creating of test organisation, see section 6.3.
- Administration to SP test-users and privileges: Provisioning of service provider test-users.
- Administration to Metadata (both legs): Provisioning of service provider SAML metadata.
- MitID Erhverv to metadata: Provisioning of local IdP metadata.
- MitID Erhverv (both legs) to CA CTI: Registration of certificate data. Both legs utilize the same CA (CTI). CTI CA is also used from the Integrationtest environment.
- MitID Erhverv and FBRS to MitID Erhverv database: Registration of MitID Erhverv users and privileges.
- MitID Simulator to Test-identities: Persisting test-identity data.
- MitID Simulator to CPR-test registry (both legs): Registration of CPR and name information for test-identities.

Authentication data flows are depicted in the figure below.




Figure 4: Beta test environment with **authentication** data flows. Black arrows: Data flow in prod-leg. Red arrows: Data flow in inntest-leg.

During authentication, the following data flows are active:

- Metadata to Log-in: Service provider and local IdP metadata used for SAML integration.
- CPR-test registry to Log-in: CPR-test data (first and last names, CPR UUID, etc) used in produced assertions.
- MitID Erhverv to Log-in: User attributes, credential associations, and FBRS privileges.
- SP test-users and privileges to Log-in: Test data for test-users created in Administration by service providers.

6.3 Creating a test organisation

When you are ready to begin integration testing your local IdP you should begin by setting up a test-organisation in the NemLog-in betatest-environment Testportal [Betatest].

Testportal(current) **Opret brugerorganisation** Opret tj...

Opret test bruger organisation

Her kan du oprette din egen testorganisation i Erhvervsadministrationen, så du kan komme igang med at teste de nye erhvervsidentiteter mm.

Når du har udfyldt nedenstående opretter vi en fiktiv organisation til dig i systemet.

Du får også et brugernavn og password, som giver dig adgang til Erhvervsadministrationen.

Administrator-e-mailadresse

Indtast din egen e-mail. Den bruges, hvis du skal nulstille dit password.

Password

Vælg det password du vil bruge, når du logger på MitID Erhverv (kun test).

Godkend kvalificerede certifikater Hvis du har brug for at teste de nye kvalificerede bruger- og organisationscertifikater, kan du tilvælge det her.

Organisationstype

Her kan du vælge hvilken virksomhedsform, din testorganisation skal have. Hvis du tester for en privat virksomhed, bør du vælge "Privat virksomhed" og hvis du tester for en offentlig organisation, bør du vælge "Offentlig virksomhed".

Sikringsniveau for identifikationsproces

Her kan du NSIS sikringsniveau for identifikationsproces af medarbejdere. Særligt sikringsniveauet er sat til betydelig eller høj, muliggør det, at Organisationsadministrator kan give Identitetsadministratorer lov til at oprette brugere direkte på det højere niveau.

Opret

It is important that you indicate the assurance level for the local identification process ("Sikringsniveau for identifikationsproces") to Substantial ("Betydelig") as highlighted above. This will allow connecting a local IdP for the organisation.

This will create a test-organisation with a random name and CVR number, appoint an administrator, and allow you to log-in with a test-identity (here "Tova015") that has the provided password:

Ny BO testorganisation er oprettet med følgende data

Organisationsnavn	Testorganisation nr. 90507980
CVR-nummer	90507980
Brugernavn	Tova015
Fornavn	Tova
Efternavn	Winther
Password	Test1234
EIA	Link til Erhvervsadministrationen
EIA Integrationstest	Link til Erhvervsadministrationen - IntTest
MitID Simulator	Link til MitID Simulator

The test-identity (Tova015 above) is created in beta test MitID Simulator [Betatest].


If you need to create a test-organisation with a specific name and CVR number, we refer to section 13.

6.4 Test certificates

When you perform integration tests of a local IdP you will need a test system- or organisation-certificate with a corresponding private key.

These certificates may be issued from MitID Erhverv in the beta-test environment. Note, that both beta test legs issues certificates from the NemLog-in CTI CA. These certificates are also applicable for use by Service Providers or sub-brokers connecting to Integrationtest.

Navigate to the Certificates menu in MitID Erhverv to issue a certificate.



We refer to [MEUG] for details.

7 Connecting a Local IdP

When the NemLog-in Administration (“Forvaltning”) has granted local IdP privileges to your organisation, the local IdP can be connected. It is the organisation administrator who has permission to connect your organisation’s local IdP.


An organisation may use a local IdP in two different ways:

1. The tenant model: The organisation may utilize an IdP connected by another organisation, provided that
 - both organisations are NSIS approved; and
 - the organisation that connected the IdP (the host) and the utilizing organisation (the tenant) agree to share the local IdP.
2. The direct model: An organisation connects its own IdP and does – in terms given above – act as both a IdP host and tenant.


Only organisations that enter the role of hosting an IdP must perform a technical connection of the IdP.

7.1 Technical connection

To perform a technical connection of a Local IdP, the organisation administrator must navigate to Settings:



Here, locate the Local IdP section:



And select Add IdP. Now give the IdP a name (this will be presented to end users), choose the assurance level for the IdP (equal to or lower than the NSIS approved assurance level), and select the appropriate integration profile appropriate:

Step 1 of 4

Setup local IdP

(UK) Når du skal opsætte jeres lokale IdP, skal du give systemet et kaldenavn, der giver mening for alle i organisationen. Vælg desuden organisationens sikringsniveau og software

Local IdP name

Assurance level

IdP software

- AD FS profile
- Select IdP software
- AD FS profile**
- OIOSAML 3.0.3

[Cancel](#) [Next](#)

After clicking Next, upload metadata for the local IdP:

Step 2 of 4

Upload metadata for local IdP

(UK) For at uploade metadata til systemet, skal du sørge for, at filen har det rigtige format. Hvis der er en fejl og filen ikke kan uploades, får du en besked om, hvad der skal rettes.
[Read more about metadata requirements](#)

Upload metadata (.xml)

 No file selected

Metadata must conform to [OIOSAML3] – we provide an example in Appendix 2 of this document.

After this, the organisation administrator may choose to add one or more tenants – this step is optional.

Step 3 of 4

Add organisations for local IdP

Hvis du vil tilføje organisationer til jeres lokale IdP, skal du indtaste organisationens CVR-nummer.

Enter CVR number (optional)

Organization name	CVR-number:	
Teststrup Kommune	12121919	

[Back](#)

Finally, a summary of the settings is shown, and the organisation administrator must confirm, that the IdP he is connecting does in fact comply with the NSIS requirements for that assurance level.

Step 4 of 4


Confirm and approve

Local IdP name	Korsbæk Kommune
Associated FAL	Substantial
IdP software	AD FS profile
EntityID	https://hammerup.sp-devtest4-nemlog-in.dk
Associated organisations	Teststrup Kommune, CVR-number: 12121919

(UK) Jeg bekræfter hermed, at den tilsluttede lokale IdP efterlever NSIS på det angivne sikringsniveau.

[Back](#)


The IdP is now added. The organisation administrator will later be able to alter settings by selecting options in the kebab menu:



7.2 Connecting as tenant

To connect a tenant organisation to a local IdP hosted by another organisation is simple.

When the host organisation has added the tenant organisation to the local IdP, the organisation administrator will note that the option 'Show invitation for local IdP' is available from the Settings menu.



Clicking the button will allow the administrator to confirm to connect:



The administrator may also choose to decline an erroneous invitation. If the invitation is accepted, the local IdP will appear as Active in the section:

Local IdP ^

(UK) Med en lokal IdP (Identity Provider) bliver I en såkaldt lokal identitetsgarant. Det vil sige, at I lokalt kan udstede identifikationsmidler til jeres brugere, og at login sker med organisationens egne udstedte identifikationsmidler.
[> Read more about local IdP](#)


Navn	Associated FAL	IdP software	Status	
> Teststrup og Korsbæk Kommuner	Substantial	AD FS profile	● Active	

[Add local IdP](#)

Note, that the only option for the tenant administrator is to disconnect the IdP (trashcan icon) – the tenant administrator is not able to change any settings for the local IdP: The organisation administrator in the hosting organisation may name the local IdP appropriately to convey its intended use to end users.


8 End user authentication

When a local IdP has been connected for the organisation the organisation administrator can allow the organisation to use local means of identification in the Authenticators setting section by selecting 'Authenticators' under 'Local identity providers':




With this in place, the identity administrators may now allow users to log-in using the local IdP. [MEUG]

For active users, simply edit the user and select 'Add authenticator' in the 'Authenticators' ('Identifikationsmidler') section:



And click 'Add authenticator':



Indtast brugernavn til lokalt identifikationsmiddel

Når du tildeler et lokalt identifikationsmiddel til brugeren, skal du indtaste brugernavnet. Det er dét navn, brugeren skal anvende sammen med et password for at logge ind og handle på vegne af organisationen.

Brugernavn

[Fortryd](#) [Afslut](#)

Adding local means of identification with the username above, will allow this user to log-in using:

- Any local IdP connected to the organisation; using
- 'tilvil@korsbaek' as username, i.e. value passed in <Subject><NameID> section of SAML Assertion issued by the Local IdP; and
- the organisation's CVR number passed as OIO SAML <https://data.gov.dk/model/core/eid/professional/cvr> attribute value.

The username must be unique within the organisation, identified by CVR number.

Username can also be associated by using the IdM API, we refer to [NLIDM] for details.

8.1 Dynamically assigned group memberships

With a local IdP your organisation will be able to appoint members of specific MitID Erhverv/FBRS rights groups without having to specifically having the rights administrator assign membership using the MitID Erhverv UI or the IdM API.

Instead, group memberships are included as information in the assertion issued by the local IdP, where group memberships are listed in the privileges attribute (<https://data.gov.dk/model/core/eid/privilegesIntermediate>). This mechanism allows the user organisation to control membership by of these groups by – for example – use of local group memberships (such as Active Directory groups or similar).

To prepare a MitID Erhverv group for this dynamic member assignment, the group must be assigned a unique ID that is used by the local IdP to refer the group. This ID is assigned by the rights administrator in MitID Erhverv (or by using the IdM API):

User groups

[User groups](#) » [Create user group](#)

Master data for delegation group

<p>Name of delegation group*</p> <input type="text" value="Test group number 0"/>	<p>Organisation name</p> <p>Testorganisation nr. 91636003</p>
<p>Description</p> <input type="text" value="Test group"/>	<p>CVR number</p> <p>91636003</p>
<p>Unique Id for local IdP</p> <input type="text" value="TestGroup0"/>	<p>User group applies to</p> <p>Testorganisation nr. 91636003</p>

The user organisation can now dynamically appoint membership of this group by adding a PrivilegesIntermediate attribute to the issued assertion containing Base64 encoded UTF-8 bytes of a privileges assignment according to [BPP]. The value must conform to the syntax described in [BPP] but with different semantics since the XML structure is only used to hold a list of group IDs.

As an example, a user in the organisation with CVR 91636003 would be appointed as member of groups with ids 'TestGroup0' and 'TestGroup1' in the established session by the following BPP structure:

```
<?xml version="1.0" encoding="UTF-8"?>
<bpp:PrivilegeList xmlns:bpp="http://digst.dk/oiosaml/basic_privilege_profile"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" >
  <PrivilegeGroup Scope="urn:dk:gov:saml:cvrNumberIdentifier:91636003">
    <Privilege>TestGroup0</Privilege>
    <Privilege>TestGroup1</Privilege>
  </PrivilegeGroup>
</bpp:PrivilegeList>
```

NemLog-in will – after receiving such an assertion – assign relevant privileges from the groups to the Service Provider requesting log-in. Other Service Providers participating in the same SSO session will also receive relevant privileges.

Note, that the local IdP is not allowed to send actual privileges understood by NemLog-in Service Providers. The only allowed form of PrivilegesIntermediate allowed to be sent by local IdPs is that above, exhibiting the following properties:

- <PrivilegeList> must contain a single <PrivilegeGroup> element
- The <PrivilegeGroup> must have a Scope attribute, scoping the group to the same CVR number as passed in the CVR number attribute.
- The <PrivilegeGroup> element must contain at least one <Privilege> element
- The value of <Privilege> elements must be a 'Unique ID for local IdP' for a MitID Erhverv user group.

9 Authentication with test-IdP

There are two test-IdPs installed in the beta test environment. These are primarily used for internal testing but can also be used by external parties who wish to inspect the log-in and log-out flows, message contents etc.

This section describes how this is achieved.

9.1 Location of test-IdPs

The two inttest-leg instances are available at:

- <https://testlocalidp0-int.sp-devtest4-nemlog-in.dk>
- <https://testlocalidp1-int.sp-devtest4-nemlog-in.dk>

and the prod-leg instances at:

- <https://testlocalidp0.sp-devtest4-nemlog-in.dk>
- <https://testlocalidp1.sp-devtest4-nemlog-in.dk>

Metadata for the inttest instances are provided in Appendix B.

9.2 Connecting test-IdP to test-organisation

You connect the test-IdPs just like any other local IdP, as described in section 7.

But first you need to prepare the metadata file to use. Begin by using the metadata file for the test-IdP you wish to use given in Appendix B.

Now select an EntityID that you wish to use for the test-IdP in your test organisation setup. Replace the EntityID attribute value in the EntityDescriptor element with that chosen EntityID. Remember, that the EntityID – although it has the syntax of a URL – is merely a name for the IdP; no traffic is sent to the EntityID URL and no response is expected if you attempt to “access” the EntityID URL.

For example:

```
entityID="https://testlocalidp0-int.sp-devtest4-nemlog-in.dk"
```

becomes

```
entityID="https://idp.korsbaek.dk"
```

Note, that the EntityID must have prefix ‘http://’ or ‘https://’.

This is the only change required. Now you can connect the test-IdP as described in section 7.

9.3 Authentication with the test-IdP

With the test-IdP connected to your test organisation, you are ready to perform authentications.

You can use the test-services that are available in the environment [Betatest], here we will use test service 3, at <https://sp3-int.sp-devtest4-nemlog-in.dk/>.

The test service is also an internal testing tool and has a lot of different options. For a simple test, it suffices to simply click “Login” in the lower left corner.

LevelOfAssurance:
 Low Substantial High Not Specified

CredentialTypes:
 nemidkeycard nemidkeyfile mitid local test

You will be redirected to NemLog-in, where you must select the ‘Local IdP’ pane, search for and the connected IdP, and click Next.

You will then be redirected to the test-IdP. The top of the screen will display elaborate information about the authentication request, and the bottom will show a Response form, that you must fill out to allow the IdP to create and assertion for NemLog-in. Note, that the test-IdP does not perform any authentication as it is only used for test-purposes.

Response form

Select signing certificate

C=DK, OID.2.5.4.97=NTRDK-8012356

Select encrypting certificate

SERIALNUMBER=CVR:34051178-UIIC

In response to MessageID

_11377a20-aa35-fe3d-78dd-661bd656

Issuer

https://idp.korsbaek.dk

NameID Format

urn:oasis:names:tc:SAML:2.0:nameid-fo

Subject NameID

tilvil@korsbaek

Audience

https://saml.test-devtest4-nemlog-in.dk

SpecVer

OIO-SAML-3.0

CVR number

12212112

Organisation name

Korsbaek

Level of Assurance

Substantial

Additional attributes XML

List of OrganizationGroupIdentifier values

Send

You need to fill out the following information that will enter the issued assertion:

- **Issuer:** Replace the default EntityID with the EntityID you provided for the IdP in the uploaded metadata.
- **Subject NameID:** Supply the registered username for the employee identity you wish to authenticate.
- **CVR number:** CVR number for the test organisation.
- **Organisation name:** Name of the test organisation.
- **Level of assurance:** LoA for the authentication.

Clicking Send will redirect your browser back to NemLog-in with a SAML AuthnResponse with a signed assertion from the test-IdP. NemLog-in will lookup attributes for the user with the provided Subject NameID (username), issue an assertion for the requesting service provider, and perform another browser redirect back to the service provider.

The test service will then establish a session and allow you to inspect the assertion, including attributes. Note, that neither the assertion issued by the test-IdP nor any of its attributes are forwarded to the service provider. The assertion received by the service provider is created in its entirety by NemLog-in.

10 Signing

Employees in organisations with local IdP may approve organisational signatures or sealing using the local IdP.

However, only users that have had their identity proven in MitID Erhverv in an activation process where their private MitID has been used, may use a local IdP for signing operations.

10.1 Immediately active users

User organisations that are NSIS-approved have the option of activating users directly with registered assurance level up to their NSIS approval level (usually Substantial) – so called ‘immediately active users’. This requires either use of the IdM API or that registration is performed by an identity administrator who has been assigned this privilege by the organisation administrator:

Administrator roles ^

If the user is to have one or more administrator roles you must select them below.

There must always be an organisation administrator. You can therefore not remove the marker if the user is the only organisation administrator in the organisation.

[> Read more about administrator roles](#)

- Organisation administrator
- User administrator
- Is educated to create users on substantial assurance level.

User administrators with this privilege is denoted ‘NSIS-privileged user administrators’. NSIS-privileged user administrators may create immediately active users by setting an assurance level of registration (‘registered IAL’) as shown below:

User information Step 1 of 3 ^

First name *	Surname
<input type="text" value="Test"/>	<input type="text" value="User"/>
CPR number (optional)	Birthdate
<input type="text"/>	Date Month Year
	<input type="text" value="10"/> <input type="text" value="10"/> <input type="text" value="1970"/>
Email	Phone number (optional)
<input type="text" value="test@test.dk"/>	<input type="text"/>

Anonymous
 Mark user as anonymous

If you select Anonymous, the user's name will be hidden from any services they log in to.
[> Read more about anonymous users](#)

The assurance level of registration

As mentioned, end users registered directly on Substantial (or higher) do not have to activate their identity in MitID Erhverv but are - on the other hand - not allowed to perform signing operations since the (in that case) purely local registration process does not conform to all requirements for issuing qualified certificates which occurs when a document is signed.

10.2 Signing with local means of identification

Since users that must be able to perform signing operations must be activated with private MitID such users must be created as described below:

1. Identity administrator: Create the user:
 - a. Set assurance level of registration to 'Low' (only for NSIS-privileged identity administrators, plain identity administrators will not have this option).
 - b. Assign MitID means of identification to be used, private or dedicated.
 - c. Assign local means of identification (username)
2. User: Receives e-mail and follows activation link
3. User: Activates identity and presents private MitID

When the user has been activated the identity may be used for approving employee signatures and – if allowed by the organisation – organisation sealing.

10.3 Emulating signature approval

If you wish to test signature approval but do not have a service that uses signing you can emulate a signature flow by using the test-service available in [Betatest].

Begin by creating a test-user to use for signing. In the beta test environment, the process described in 10.2 must be preceded by creating the private identity for which the employee identity is to be created.

This is done in the MitID Simulator [Betatest]:

MitID Simulator

Search identity Create identity

Identity data

Autofill

Maximum Authentication Assurance Level
Substantial ▼

Username
Tida713

Password
Test1234

First name
Tida

Middle name
Tullik

Last name
Karlsen

CPR-number (optional)
1810701234

E-mail (optional)

Private MitID

It is important that you mark the identity to be private and assign a fictitious CPR number.

Now create the user using the same name and date of birth:

User information

Step 1 of 3 ^

First name *	Surname
<input type="text" value="Tida Tullik"/>	<input type="text" value="Karlsen"/>
CPR number (optional)	Birthdate
<input type="text"/>	Date Month Year
	<input type="text" value="18"/> <input type="text" value="10"/> <input type="text" value="1970"/>
Email	Phone number (optional)
<input type="text" value="test@test.dk"/>	<input type="text"/>

Anonymous

Mark user as anonymous

If you select Anonymous, the user's name will be hidden from any services they log in to.

[> Read more about anonymous users](#)

The assurance level of registration

▾

And assign authenticators:

- Private MitID
- Local IdP (username)

When completed, make note of the activation code.

Now click the activation link in the received email and accept the use of private MitID:

Using private NemID/MitID

Do you wish to use your private NemID/MitID on behalf of the organisation?

[Read more about use of private NemID/MitID](#)

Do you accept the use of your private NemID/MitID?

Yes, I accept the use of my private NemID/MitID

No, I do not wish to use my private NemID/MitID

You can find information here:
[Guide to user profile activation](#)

[Cancel](#) [Next](#)

Next, enter the noted activation code – and the user is activated.

Now the signature flow can be emulated using the test-service [Betatest]:

Digitaliseringsstyrelsen Internal Test SP OIOSAML-3.0 - https://saml.sp3-int.sp-devtest4-nemlog-in.dk

Front page
Secure page
Attribute Query page
IdP Discovery page
Delegation iframe
STS Integration

Logged in: https://data.gov.dk/model/core/eid/person/uuid/5e71616d-06e6-4358-855b-279ee686ef37

SigningContext:
 <nl:SigningContext xmlns:nl="dk:gov:saml:extensions"><nl:ReferenceText>dGVzdA==</nl:ReferenceText><nl:SecurityCode>R0FRT0NZ</nl:SecurityCode></nl:SigningContext>

Subject:

NameId eg: https://data.gov.dk/model/core/eid/person/uuid/968d0e53-6d77-48eb-bdb0-a07efa9653df
 SPNameQualifier eg: https://saml.sp3.test-dev-f.nl3

NameId: SPNameQualifier:

Scoping requesterId: (eg. https://saml.signingclient.klasselotteriet.dk)

Scoping providerID: (eg. https://testlocalidp0.test-dev-f.nl3 on dev-f)

Profile:
 Professional Person Not Specified


LevelOfAssurance:
 Low Substantial High Not Specified

CredentialTypes:
 nemidkeycard nemidkeyfile mitid local test

© OIOSAML.NET (www.oiosaml.info).


- Click 'Use' to add a requesterID.
- Select Substantial.

- Click 'ForceSigningLogin'.



Now select the appropriate IdP and provide input in the test-IdP as described in section 9 above.

After accepting the terms for signing you will see the receipt page:



When you click sign you will be allowed to inspect the contents of the special assertion issued during signing. If no error messages are shown the signing flow is completed successfully.

11 Technical requirements

11.1 Metadata

The organisation administrator supplies metadata for the local IdP. Metadata is uploaded in MitID Erhverv when the IdP is registered as described in section 7.

Metadata requirements are the same, regardless of the chosen integration profile (OIOSAML3 or AD FS).

11.1.1 EntityID

Metadata must conform to [OIOSAMLIdP]. Note that

- the chosen EntityID must have prefix 'https://' or 'http://' – generalization of [OIO-GE-03] – and;
- multiple signing certificates are supported [OIO-IDP-41]

11.1.2 Subject NameID formats

The metadata must reflect the local IdP chosen Subject NameID format amongst the five formats supported by NemLog-in:

- urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress
- urn:oasis:names:tc:SAML:2.0:nameid-format:Kerberos
- urn:oasis:names:tc:SAML:2.0:nameid-format:persistent
- urn:oasis:names:tc:SAML:1.1:nameid-format:WindowsDomainQualifiedName
- urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName

11.1.3 SAML Single Sign on support

NemLog-in only supports SAML HTTP redirect binding for transmitting authentication requests to local IdPs. (<SingleSignOnService> element in metadata).

11.1.4 SAML Single Logout support

NemLog-in supports both SAML HTTP redirect and POST bindings for transmitting logout requests to local IdP (<SingleLogoutService> element in metadata).

11.2 Authentication requests

NemLog-in requests authentication at the local IdP by forwarding an AuthnRequest using SAML HTTP redirect binding. This is the only binding supported for local IdPs.

The authentication request conforms to [OIOSAMLIdP] and convey the following information to the local IdP:

- Desired NSIS assurance level [OIO-SP-06]
- Desired attribute profile [OIO-SP-07] (always 'https://data.gov.dk/eid/Professional')

Identifiers in [] refer to requirements in [OIOSAMLIdP].

The authentication request conforms to the previous version of [OIOSAMLIdP] v1.0.2 wrt. the following:

- EntityID of requesting Service Provider as <RequesterID> element [OIO-SP-09]

Note, that this behaviour is replaced in [OIOSAMLIdP] by the optional [OIO-SP-09] (ProviderName) which is **not** currently implemented by NemLog-in.

You may use the test-IdPs to inspect <AuthnRequests> as described in section 9.

11.2.1 AD FS profile specifics

When the local IdP uses the AD FS integration profile the data described in section 11.2 above is included in the RelayState request parameter.

The contents of the <RequestedAuthnContext> element contains an AD FS specific <AuthnContextClassRef> requesting multi-factor authentication as shown below:

```
<RequestedAuthnContext comparison="exact">  
  <AuthnContextClassRef  
xmlns="urn:oasis:names:tc:SAML:2.0:assertion">http://schemas.microsoft.com/claims/multipleauthn</AuthnContextClassRef>  
</RequestedAuthnContext>
```

12 References

Most documentation is available here: <https://migrering.nemlog-in.dk/nemlog-in-broker/test-og-dokumentation/>.

Reference	Description
[LIG]	Guide til implementering af lokal IdP v. 1.1. https://www.mitid-erhverv.dk/avanceret/lokal-idp/
[OIOSAML3]	https://digst.dk/it-loesninger/standarder/oiosaml-profiler/ Latest edition is: "OIOSAML Web SSO Profile 3.0.3"
[OIOSAMLIdP]	https://digst.dk/it-loesninger/standarder/oiosaml-profiler/ Latest edition is: "OIOSAML Local IdP Profile 1.0.3" See also: https://www.mitid-erhverv.dk/avanceret/lokal-idp/
[BPP]	https://digst.dk/it-loesninger/standarder/oiosaml-profiler/ Latest edition is "OIOSAML Basic Privilege Profile 1.2"
[OIOSAML-Java]	https://www.digitaliser.dk/news/6072243
[OIOSAML-NET]	https://www.digitaliser.dk/news/6072243
[OIOSAML2.1.0]	https://www.digitaliser.dk/resource/5833271
[NLBT]	NemLog-in broker terms and conditions. <TBD>
[NLAdm]	https://migrering.nemlog-in.dk/media/kgeliazh/25-brugermanual-til-nemlog-in-administration-v-3.pdf
[NLIDM]	https://migrering.nemlog-in.dk/mitid-erhverv/avanceret-setup/integration-med-idm/
[NLIB]	Integration with NemLog-in for Brokers. https://broker.nemlog-in.dk/dokumentation-og-integration/ - See OIOSAML3 section.
[Betatest]	Testportal for setting up test organisations: https://testportal.test-devtest4-nemlog-in.dk/ MitID simulator, used for creating test identities: https://mitidsimulator.test-devtest4-nemlog-in.dk Use swagger UI if a test-organisation with specific CVR/name is required: https://testportal.test-devtest4-nemlog-in.dk/swagger/index.html#/Organization/post_api_organization_boextended MitID Erhverv betatest, Production leg:

Reference	Description
	<p>https://erhvervsadministration.devtest4-nemlog-in.dk</p> <p>MitID Erhverv betatest, Inttest leg:</p> <p>https://erhvervsadministration.test-devtest4-nemlog-in.dk</p> <p>Betatest logviewer (inttest leg only):</p> <p>https://logviewer.test-devtest4-nemlog-in.dk/</p> <p>Metadata for NemLog-in (Service Provider)</p> <p>https://www.nemlog-in.dk/vejledningertiltestmiljo</p>
[MEUG]	<p>MitID Erhverv user guides:</p> <p>https://www.mitid-erhverv.dk/support/</p> <p>https://www.mitid-erhverv.dk/support/vejledning/anvendelse/#</p>

13 Appendix A: Creating a test-organisation with Swagger UI

Use the `/api/organization/boextended` method for creating a test-user organisation. [Betatest]

Pass parameters in the request body as described below.

Parameter	Description
adminEmail	Your email address. Will be assigned to the test identity created.
password	Password used for the test identity
enableQualifiedCertificates	Boolean indicating if the test organisation is allowed to issue long term qualified certificates. Not relevant for Local IdP integration. Pass false if in doubt.
organizationType	Use either "Private" or "Public" to designate a private/public organisation, respectively. You can use either value when testing local IdP.
createFbrsGroups	Whether to create default rights groups in MitID Erhverv. Not relevant when testing local IdP. Pass true.
uuid	A random UUID generated by you, that will be assigned to the test organisation.
administratorUuid	A random UUID generated by you, that will be assigned to the administrator identity.
physicalPersonIAL	Assurance level of the organisations NSIS-approved registration process. To test Local IdP, pass "Substantial"
name	The name of the test organisation created.
cvrNumber	CVR number of the test organisation created.
adminCpr	Fictitious CPR number for the test identity created.
adminUsername	Username for the test identity created.
adminMaxRegisteredIAL	The maximum identity assurance level that the test administrator can assign to created users. Use "Substantial".

14 Appendix B. Metadata

14.1 Local IdP sample metadata

```
<?xml version="1.0" encoding="utf-8"?>
<md:EntityDescriptor xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:saml="urn:oasis:names:tc:SAML:2.0:assertion" xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata"
ID="_4f022ebe-5055-491f-b0d9-e7c422c98f3c" entityID="https://your-entity-id">
  <md:IDPSSODescriptor WantAuthnRequestsSigned="true"
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
    <md:KeyDescriptor use="signing">
      <ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
        <ds:X509Data>
          <ds:X509Certificate>MIIGfD...</ds:X509Certificate>
        </ds:X509Data>
      </ds:KeyInfo>
    </md:KeyDescriptor>
    <md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
Location="https://your-site.dk/SingleLogout/ServiceProvider/" ResponseLocation="https://your-
site.dk/SingleLogout/LogoutResponse/">
      <md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:persistent</md:NameIDFormat>
    <md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
Location="https://your-site.dk/SingleSignOn/">
      <saml:Attribute Name="https://data.gov.dk/model/core/specVersion" FriendlyName="SpecVer"
NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
      <saml:Attribute Name="https://data.gov.dk/concept/core/nsis/loa"
FriendlyName="NSISLevelOfAssurance" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
      <saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/cvr"
FriendlyName="CVR" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
      <saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/orgName"
FriendlyName="OrganizationName" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
      <saml:Attribute Name="https://data.gov.dk/model/core/eid/privilegesIntermediate"
FriendlyName="Privileges" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
    </md:IDPSSODescriptor>
  </md:EntityDescriptor>
```

14.2 Test-IdP metadata

Metadata for beta test (inttest-leg) local IdP 0.

```
<?xml version="1.0" encoding="utf-8"?>
<md:EntityDescriptor xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:saml="urn:oasis:names:tc:SAML:2.0:assertion" xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata"
ID="_4f022ebe-5055-491f-b0d9-e7c422c98f3c" entityID="https://testlocalidp0-int.sp-devtest4-nemlog-in.dk">
  <md:IDPSSODescriptor WantAuthnRequestsSigned="true"
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
    <md:KeyDescriptor use="signing">
      <ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
        <ds:X509Data>
          <ds:X509Certificate>MIIGfDCCBLCgAwIBAgIUZ1YmSH0cVIarpR0Gn3rd1pqJjSgwQQYJKoZiIhvcNAQEKMDSgDzANBg1ghkgB
ZQMEAgEFAKEcMBoGCSqGSIB3DQEBCDANBg1ghkgBZQMEAgEFAKIDAgEgMGSxLTArbGvNBAMMJEJER1biBEYw5za2UgU3RhdCBPQ0VTIHVkc3R1
ZGVuZGUtQ0EgMTETMBEGA1UECwwKVGVzdCAtIGN0aTEYMBYGA1UECgwPRGRVUeIERhbnNrZSB0dGF0MQswCQYDVQQLGEwESzAeFw0yMjAzMTUw
ODAMDMVhZjVjZDy/eACh2Irel930ehh+uudVfAlCrF1uVMircXYMlxJX0s0szdKjHdLnaUteivfnFCIXRryil6R6Wpr0ZKtH/nr+Q
nS9dbG10L9YrphgXHW3hSkwyWlkmcvMlsdDT886NqnRwD6t6U5CurOQ1zU1W3FwQgn7Ah50uyXmf967Mfg75WlhBoMyp6Dr3APVZwxsQh9MA
shw+8mdeVqE41gZLRqj3Xqku8JMCAwEAAoCAYYwggGCMAwGA1UdEwEB/wQCMAAwHwYDVR0jBBgwFoAUFyif2XGZQuJ159c1di5NCCvtld1w
ewYIKwYBBQUHAQEebzBtMEMGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZGsvb2N1cy9pc3N1aw5nLzEvY2FjZj0L2lzc3VpbmCu
Y2VYMcYGCcsGAQUFBzAAbhhpodHRwOi8vY2ExLmN0aS1nb3YuZGsvb2N1cy9pc3N1aw5nLzEvY2FjZj0L2lzc3VpbmCu
O18vY2ExLmN0aS1nb3YuZGsvb2N1cy9pc3N1aw5nLzEvY2FjZj0L2lzc3VpbmCuY3JsMB0GA1UdDgQWBbT2cIh3YvZDxCg3Krk0tQzVKMEjAO
BgNVHQ8BAf8EBAMCBaAwQQYJKoZiIhvcNAQEKMDSgDzANBg1ghkgBZQMEAgEFAKEcMBoGCSqGSIB3DQEBCDANBg1ghkgBZQMEAgEFAKIDAgEg
A4IBgQCskwIzEITcfoeimXRQ5AfoKtiHkV3uFPZgWWhPr0t0mEcI+6fXZbtFz1GslPvtFUG4p2cCxyS62BMkIytlBGWIYuuX4z1zsw1UF0HKT
6y+sqWrvZLXm0zYnNp+Vf1t7EvagYNAUC8F3SpzQLVudzHcqrMbm0hpQYjPbg3Z70j6onSZkg128kMGX04if0//wCN35obviBHf50+MRE
```

```
VnhcMYIcSB+fj/D8w+ldSw9GFV8QpbjJqAD6bzjTRKweg/wjGv+rByr6UTA2v3UjRJHxkFi0fXknkynSunedTw5r1j2JymIMjzRu12iV+/Bo
0FUvTaw0gNNCgVzGAs05GR/wZk4S2LBasTt4omPstqshw+Ym51/af32PmvNi5NKM9GA8zUZJgac+nv5KXDRQHYY5DC/QnEs1DVcd7mQ6RV2S1
V+oee30IhMog4KXDb73nAjdy0l7+rcQ2gOceQ3khVpGv6tL4fEH/xE5RKOxUAGh1CpNy8k6SZdQFMdTTp7p8pE=</ds:X509Certificate
>
</ds:X509Data>
</ds:KeyInfo>
</md:KeyDescriptor>
<md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
Location="https://testlocalidp0-int.sp-devtest4-nemlog-in.dk/SingleLogout/ServiceProvider/"
ResponseLocation="https://testlocalidp0-int.sp-devtest4-nemlog-in.dk/SingleLogout/LogoutResponse/">
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:persistent</md:NameIDFormat>
<md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
Location="https://testlocalidp0-int.sp-devtest4-nemlog-in.dk/SingleSignOn/">
<saml:Attribute Name="https://data.gov.dk/model/core/specVersion" FriendlyName="SpecVer"
NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/concept/core/nsis/loa"
FriendlyName="NSISLevelOfAssurance" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/cvr"
FriendlyName="CVR" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/orgName"
FriendlyName="OrganizationName" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/privilegesIntermediate"
FriendlyName="Privileges" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
</md:IDPSSODescriptor>
</md:EntityDescriptor>
```

Metadata for beta test (inttest-leg) local IdP 1.

```
<?xml version="1.0" encoding="utf-8"?>
<md:EntityDescriptor xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:saml="urn:oasis:names:tc:SAML:2.0:assertion" xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata"
ID="_4f022e8e-5055-491f-b0d9-e7c422c98f3c" entityID="https://testlocalidp1-int.sp-devtest4-nemlog-in.dk">
<md:IDPSSODescriptor WantAuthnRequestsSigned="true"
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
<md:KeyDescriptor use="signing">
<ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<ds:X509Data>
<ds:X509Certificate>MIIGFDCCBLGcAwIBAgIUZ1YmSH0cVIarpR0Gn3rd1pqJjSgwQQYJKoZiHvcNAQEKMDSgDzANBg1ghkgB
ZQMEAgEFAKEcMBoGCSqGSIb3DQEBCDANBg1ghkgBZQMEAgEFAKIDAgEgMGsXLTArbGnVBAMMJErlbiBEYw5za2UgU3RhdCBPQ0VTIHVkc3Rl
ZGVuZGUtQ0EMTETMBEGA1UECwwKVGVzdCatIGN0aTEYMBYGA1UECgwPRGVvUERhbnNrZSBTdGF0MQswCQYDVQGEwJESzAeFw0yMjA5MzE1
ODA3MDVaFw0yNTAzMTAwODA3MDRaMIGSMRkwFwYDVQQDDDBBUZXR0TG9jYXZlZGAgY3RyMTcwNQYDVQQFEyE5VStpESy1P0kc6ZWM1ZDZBmNz
MWE4Zi0Yj1hLTg1MmQzTDVkyZmYmE3YzA3MRyWFAyDVQQKDA1NYWNoaW51IFRyYWRIMRcwFQYDVQRHA5OVVfJESy04MDEyMzU2NTELMAG
A1UEBhMCRESwggGiMA0GCsGSIb3DQEBAQUAA4IBjwAwggGKAoIBgQDPPo04h+Ah96XB9d0e3nYR15g+eahPZMA1UvGnXy1zFBB5Pw6hTd59
IccVVphSZ8sVvdfvAeU1NYy2eZJahDNCAvkat0+k1m0cbhHLxa+Hg5Twm9x/0IsenzmIMvpQ4p39J2Cc1bJrGg7mJTJG82cj6XphR/Mh+0qM
0Pn3iL0cCa24pk7nw/Zak0tWajFwoIHjP8MAVsfRjv8VoLgQif9Fw2oB1Hud0ITNpqKwL/1kd5VDVrvHk2UU1PZz9oExM+zDYBC2U5FbesTC
BKaaQk/1hx6qsJgFzivJZdy/eACh2IRel930ehh+uwdVfAlCrf1uVMircXYMlxJX00szdKjHdLnaUteivfnFCIXRry1l6R6Wpr0ZkTH/nr+Q
nS9dbG10L9YrphXHW3hSkwyw1kmcvM1sdDT886NqnRwD6t6U5Cur0Q1zU1W3FqXgn7Ah50uyXmf967Mfg75W1hBoMyP6Dr3APVZwxsQh9MA
shw+8mdeVqE41gZLRqj3Xqku8JMCaWEEAA0CAYYwggGCMAGWA1UdEwEB/wQCMAAWwHwYDVR0jBBgwFoAUfyfiF2XGZQuJ159c1di5NCCVtd14w
ewYIKwYBBQUHAQEeBzBtMEMGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3Vpbm
cuY2VyMAYGCCsGAQUFBzABhhpodHRwOi8vY2ExLmN0aS1nb3YuZSgvsb2NzZCDAhBgnVHSAEgJAyMAgGBGQAJ30BATAMBgoqGCBKQEBQMHMDSG
CCsGAQUFBwEDBC8wLTArbGgrBgEFBQcLajAfbGcEAIvSSQECMBSGEmh0dHBz0i8vdWlkLmdvdi5kazBFBGnVHR8EPJA8MDqgOKA2hjRodHRw
O18vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3Yu
ZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5n
LzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3Vpbm
cuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdod
HRwOi8vY2ExLmN0aS1nb3YuZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3Yu
ZSgvsb2Nlcy9pc3N1aw5nLzEvY2FjZXJ0L2lzc3VpbmcuY2VyMAYGCCsGAQUFBzAChjdodHRwOi8vY2ExLmN0aS1nb3YuZS
```

```
<saml:Attribute Name="https://data.gov.dk/model/core/specVersion" FriendlyName="SpecVer"
NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/concept/core/nsis/loa"
FriendlyName="NSISLevelOfAssurance" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/cvr"
FriendlyName="CVR" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/professional/orgName"
FriendlyName="OrganizationName" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
<saml:Attribute Name="https://data.gov.dk/model/core/eid/privilegesIntermediate"
FriendlyName="Privileges" NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri"/>
</md:IDPSSODescriptor>
</md:EntityDescriptor>
```